

***Whatever you're hauling,
we can take it!***



AUTO • RACE • CARGO & UTILITY • SNOWMOBILE/SPORT • MOTORCYCLE • GOOSENECK & FIFTH WHEEL

Atlas Specialty Trailers

21066 Protecta Drive • Elkhart, IN 46516

866-293-6008 • 574-293-6008

www.AtlasSpecialtyTrailers.com

SNOWMOBILE/SPORTS TRAILERS



- **Frame:** Steel tube main rails, 24" on center chassis, formed steel rear header, undercoated chassis, dust barrier/sealed sidewalls, safety chains welded, sand pad, 2-sway bar brackets, fuel door.
- **Axle & Tire:** Torflex axle, E-Z lube hubs w/grease caps, premium radial tires, chromed steel center caps, electric brakes w/breakaway box.
- **Front Side Ramp Door:** .030 smooth aluminum exterior, seamless aluminum roofing, non-powered roof vent, aluminum tread plate trimmed v-nose, DOT/CSA lighting fiberglass radius front cap, aluminum fenders, sealed clearance lights, rear taillights mounted in center post, injection molded license plate bracket w/light, 35" vapor barrier wrap.
- **Interior:** 3/4" Advantech decking, 3/8" plywood liner, white vinyl ceiling & sidewall liner w/2' plywood kick plate, helmet cabinet, 2-12V dome lights, 1-wall switch, 5-1200# D-Rings.
- **Doors:** Aluminum door frames, rear ramp door w/spring assist & barlock door latches, curbside door w/camlock door latches, steel ski guard, holdbacks & safety springs on all doors.



SPECIFICATIONS

	Cargo / Utility A*820TA2	Cargo / Utility A*714TA2	Cargo / Utility A*612SA	Cargo / Utility A*58SA	Autohauler AA8524TA3	Race AR8520TA2	Race AR8524TA3	Race AR8528TA3
Over-all Length	24'	18'	16'	12'	28'	24'	28'	32'
Over-all Width	8'5"	8'1"	7'8"	6'8"	8'6"	8'6"	8'6"	8'6"
Over-all Height	8'6"	7'11 3/4"	7'11 3/4"	6'8"	8'6"	8'9"	8'9"	8'9"
Platform Height	20"	19"	18"	18"	20"	18"	19"	19"
Interior Height	6'8"	6'1"	6'1"	5'1"	6'8"	7'	7'	7'
Interior Overall Length	20'5"	14'5"	12'4"	8'4"	24'5"	19' 8"	23' 8"	27' 8"
Interior Width	7'8"	6'8"	5'8"	4'8"	8'1"	8'	8'	8'
Between Wheel Wells	6'10"	6'8"	NA	NA	6'9 1/2"	6'9"	6'9"	6'9"
Side Door	Optional	Optional	Optional	Optional	Standard	Standard	Standard	Standard
Side Door Width	32, 36, 48	32, 36	32, 36	24	48"	48"	48"	48"
Side Door Opening Height	5'11"	5'5"	5'3"	4'3"	72"	78 1/2"	78 1/2"	78 1/2"
Rear Door	Double	Double	Double	Double	Ramp	Ramp	Ramp	Ramp
Rear Door Opening Height	5'11 1/2"	5'5 1/2"	5'5 1/2"	4'5 1/2"	75"	75"	75"	75"
Rear Door Opening Width	7'1"	6'	4'11"	4'	89 1/4"	89 1/4"	89 1/4"	89 1/4"
Hitch Weight	300 lbs.	250 lbs.	165 lbs.	100 lbs.	420 lbs.	355 lbs.	420 lbs.	465 lbs.
Ball Size	2-5/16"	2-5/16"	2"	2"	2-5/16"	2-5/16"	2-5/16"	2-5/16"
G.A.W.R.	7,000 lbs.	7,000 lbs.	3,500 lbs.	3,500 lbs.	10,400 lbs.	7,000 lbs.	10,400 lbs.	10,400 lbs.
G.V.W.R.	7,000 lbs.	7,000 lbs.	2,990 lbs.	2,990 lbs.	10,160 lbs.	7,000 lbs.	10,160 lbs.	10,160 lbs.
Curb Weight	2,850 lbs.	2,250 lbs.	1,390 lbs.	1,010 lbs.	4,200 lbs.	3,550 lbs.	4,200 lbs.	4,650 lbs.
Payload Capacity	4,150 lbs.	4,750 lbs.	1,600 lbs.	1,980 lbs.	5,960 lbs.	3,450 lbs.	5,960 lbs.	5,510 lbs.
Brakes	Electric	Electric	Optional	Optional	Electric	Electric	Electric	Electric
Tires	ST205/75R15	ST205/75R15	ST205/75R15	ST205/R15	ST225-75R15	ST205-75R15	ST225-75R15	ST225-75R15
Wheels	5 Bolt	5 Bolt	5 Bolt	5 Bolt	6 Bolt	5 Bolt	6 Bolt	6 Bolt
Frame	6" Tube	6" Tube	3" Tube	3" Tube	6" Tube	6" Tube	6" Tube	8" Tube
Floor	3/4" Advantech	3/4" Advantech	3/4" Advantech	3/4" Advantech	3/4" Advantech	3/4" Advantech	3/4" Advantech	3/4" Advantech
Floor Crossmember Loc.	24" O/C	24" O/C	24" O/C	24" O/C	16" O/C	16" O/C	16" O/C	16" O/C
Cargo / Utility	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood	White Vinyl	White Vinyl	White Vinyl
Wall Post Loc.	16" O/C	16" O/C	16" O/C	16" O/C	16" O/C	16" O/C	16" O/C	16" O/C
Roof 24" O/C								

Model number of any particular unit does not necessarily reflect the overall length of the unit

All Illustrations and Specifications contained in this literature are based on the latest product information at time of publication

BUILT FOR STRENGTH, BUILT TO LAST

Atlas Specialty Trailers is a manufacturer of quality-built enclosed cargo trailers. Widths of 4', 5', 6', 7', 8', and 8.5' and lengths from 6' thru 40' are available. A wide variety of options are available, and every trailer comes with a full three (3) year limited structural warranty. All trailers are enclosed and manufactured in Elkhart, Indiana, using steel frame construction,

3/8" plywood-lined interiors and colored aluminum exterior.

Atlas Specialty Trailers are competitively priced within the industry, and the fit & finish of each trailer is **"THE FINEST THERE IS!"**



AUTO • RACE • CARGO & UTILITY • SNOWMOBILE/SPORT • MOTORCYCLE • GOOSENECK & FIFTH WHEEL

Your Atlas Dealer is:

Rondo Enterprises, Inc ~ Truck & Trailer Sales
 1115 E State St (PO Box 7)
 Sycamore, IL 60178
 815-899-4340, Fax 815-895-4237
www.rondotrailer.com